

Solid Surface Vanities

Designed to withstand heavy-use, our Solid Surface Vanities provide a robust solution for Industrial washrooms.



Features

Available in a wide range of finishes
Expertly crafted premium quality material
Suitable for shared-use washrooms

Speak to our team to
enquire about this range





Upgrade heavy-use washrooms with our Solid Surface Vanities, built to withstand the tough demands of factories, warehouses, stations, and depots.

Designed for durability first, these vanities offer a tough, easy-clean surface that withstands wear and spills while helping maintain a consistently hygienic space for staff and passengers.

Engineered to perform in challenging settings, our Solid Surface Vanities can be tailored to suit any layout, from compact single-user washrooms to larger shared facilities. Bespoke sizing and colour-matched basins are available for sites that want a coordinated, modern finish, while classic white basin options provide a clean, professional look suitable for any industrial or transport interior.



[Learn more about our NBS models](#)

Features



Available in a wide range of curated colours



Made from durable Corian®



Available in four different styles



Easy to clean and maintain



Undermounted and basin by other options available



Suitable for shared-use-washrooms



For more guidance on our cubicle dimensions,
speak to a member of our team.


Standard Solid Surface Vanity Basin Styles

Featuring four different basin style options, our range of Solid Surface Vanities are designed to accommodate between one and five users at a time.


Made from durable Corian® and Compact Grade Laminates from Polyrey and Fundermax, our Solid Surface Vanities offer the perfect blend of practicality and aesthetics for your industrial washroom.

Suitable for mixed-use washrooms across offices, and other interiors across the industrial sector, Solid Surface Vanities provide a wide range of design applications to suit any washroom environment.


Cast Oval Basins




Sit-on Basins



Basins By Others



Crescent Basins



Cast Oval Basin Vanities | Without Underpanels

The Cast Oval Basin is an under-mounted style, that is fixed to a Solid Surface vanity top for a clean, refined finish.


Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.

Cast Oval Basin Vanities | Without Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.


To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSCO.00.600




One user | 600mm Length

CW.VSCO.00.120




Two users | 1200mm Length

CW.VSCO.00.180




Three users | 1800mm Length

CW.VSCO.00.240



Four users | 2400mm Length

CW.VSCO.00.300



Five users | 3000mm Length



Learn more about
our NBS models

Cast Oval Basin Vanities | Without Underpanels

The Cast Oval Basin is an under-mounted style, that is fixed to a Solid Surface vanity top for a clean, refined finish.

Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.




Cast Oval Basin Vanities | With Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSCO.10.600




One user | 600mm Length

CW.VSCO.10.120




Two users | 1200mm Length

CW.VSCO.10.180




Three users | 1800mm Length

CW.VSCO.10.240



Four users | 2400mm Length

CW.VSCO.10.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Cast Oval Basin Vanities | With Underpanels

The Cast Oval Basin is an under-mounted style, that is fixed to a Solid Surface vanity top for a clean, refined finish.

Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.

Cast Oval Basin Vanities | Without Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.


To accommodate different user capacities industrial commercial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSCO.01.600




One user | 600mm Length

CW.VSCO.01.120




Two users | 1200mm Length

CW.VSCO.01.180




Three users | 1800mm Length

CW.VSCO.01.240



Four users | 2400mm Length

CW.VSCO.01.300



Five users | 3000mm Length



Learn more about our NBS models

Cast Oval Basin Vanities | With Underpanels

The Cast Oval Basin is an under-mounted style, that is fixed to a Solid Surface vanity top for a clean, refined finish.

Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.

Cast Oval Basin Vanities | With Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSCO.11.600




One user | 600mm Length

CW.VSCO.11.120




Two users | 1200mm Length

CW.VSCO.11.180




Three users | 1800mm Length

CW.VSCO.11.240



Four users | 2400mm Length

CW.VSCO.11.300



Five users | 3000mm Length



Learn more about
our NBS models

Sit-on Basin Vanities | Without Underpanels

The Sit-On Basin offers a bold, contemporary look, sitting above the vanity unit for added visual impact. Manufactured from solid surface, the basin pairs cleanly with the vanity top for a consistent finish.


Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.

Sit-on Basin Vanities | Without Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.


To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSSO.00.600




One user | 600mm Length

CW.VSSO.00.120




Two users | 1200mm Length

CW.VSSO.00.180




Three users | 1800mm Length

CW.VSSO.00.240



Four users | 2400mm Length

CW.VSSO.00.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Sit-on Basin Vanities | Without Underpanels

The Sit-On Basin offers a bold, contemporary look, sitting above the vanity unit for added visual impact. Manufactured from solid surface, the basin pairs cleanly with the vanity top for a consistent finish.

Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.


Sit-on Basin Vanities | With Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSSO.10.600




One user | 600mm Length

CW.VSSO.10.120




Two users | 1200mm Length

CW.VSSO.10.180




Three users | 1800mm Length

CW.VSSO.10.240



Four users | 2400mm Length

CW.VSSO.10.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Sit-on Basin Vanities | With Underpanels

The Sit-On Basin offers a bold, contemporary look, sitting above the vanity unit for added visual impact. Manufactured from solid surface, the basin pairs cleanly with the vanity top for a consistent finish.


Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.

Sit-on Basin Vanities | Without Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.


To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSSO.01.600




One user | 600mm Length

CW.VSSO.01.120




Two users | 1200mm Length

CW.VSSO.01.180




Three users | 1800mm Length

CW.VSSO.01.240



Four users | 2400mm Length

CW.VSSO.01.300



Five users | 3000mm Length



Learn more about
our NBS models

Sit-on Basin Vanities | With Underpanels

The Sit-On Basin offers a bold, contemporary look, sitting above the vanity unit for added visual impact. Manufactured from solid surface, the basin pairs cleanly with the vanity top for a consistent finish.

Exclusively supplied in white Corian® finishes, all vanity units can be specified with or without upstands to accommodate both deck and wall-mounted accessories.


Sit-on Basin Vanities | With Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSSO.11.600




One user | 600mm Length

CW.VSSO.11.120




Two users | 1200mm Length

CW.VSSO.11.180




Three users | 1800mm Length

CW.VSSO.11.240



Four users | 2400mm Length

CW.VSSO.11.300



Five users | 3000mm Length



Learn more about
our NBS models

Basins by Others Vanities | Without Underpanels






Our Solid Surface Vanities can also be specified without a basin, allowing integration with third-party basin designs.

Available in a wide range of Corian® finishes, all vanity units can be specified with or without upstands to suit deck or wall-mounted accessories.

Basins By Others Vanities | Without Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSBO.00.600  One user 600mm Length	CW.VSBO.00.120  Two users 1200mm Length	CW.VSBO.00.180  Three users 1800mm Length
CW.VSBO.00.240  Four users 2400mm Length	CW.VSBO.00.300  Five users 3000mm Length	 Learn more about our NBS models

Basins by Others Vanities | Without Underpanels

Our Solid Surface Vanities can also be specified without a basin, allowing integration with third-party basin designs.


Available in a wide range of Corian® finishes, all vanity units can be specified with or without upstands to suit deck or wall-mounted accessories.

Basins By Others Vanities | Without Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.


To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSBO.00.600




One user | 600mm Length

CW.VSBO.00.120




Two users | 1200mm Length

CW.VSBO.00.180




Three users | 1800mm Length

CW.VSBO.00.240



Four users | 2400mm Length

CW.VSBO.00.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Basins by Others Vanities | Without Underpanels

Our Solid Surface Vanities can also be specified without a basin, allowing integration with third-party basin designs.


Available in a wide range of Corian® finishes, all vanity units can be specified with or without upstands to suit deck or wall-mounted accessories.

Basins By Others Vanities | Without Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.


To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSBO.00.600




One user | 600mm Length

CW.VSBO.00.120




Two users | 1200mm Length

CW.VSBO.00.180




Three users | 1800mm Length

CW.VSBO.00.240



Four users | 2400mm Length

CW.VSBO.00.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Basins by Others Vanities | With Underpanels

Our Solid Surface Vanities can also be specified without a basin, allowing integration with third-party basin designs.

Available in a wide range of Corian® finishes, all vanity units can be specified with or without upstands to suit deck or wall-mounted accessories.


Basins By Others Vanities | With Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSBO.11.600




One user | 600mm Length

CW.VSBO.11.120




Two users | 1200mm Length

CW.VSBO.11.180




Three users | 1800mm Length

CW.VSBO.11.240



Four users | 2400mm Length

CW.VSBO.11.300



Five users | 3000mm Length



Learn more about
our NBS models

Crescent Basin Vanities | Without Underpanels

The Crescent Basin is an under-mounted style, with the basin and vanity top formed from a single sheet of material to create a clean, all-in-one look. It offers a strong balance of style and cost-efficiency.


Available in white Corian® finishes as standard, these basins can also be supplied in a range of colours upon request. All vanity units can be specified with or without an optional upstand to suit both deck- and wall-mounted accessories.

Crescent Basin Vanities | Without Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.


To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSC.00.600




One user | 600mm Length

CW.VSC.00.120




Two users | 1200mm Length

CW.VSC.00.180




Three users | 1800mm Length

CW.VSC.00.240



Four users | 2400mm Length

CW.VSC.00.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Crescent Basin Vanities | Without Underpanels

The Crescent Basin is an under-mounted style, with the basin and vanity top formed from a single sheet of material to create a clean, all-in-one look. It offers a strong balance of style and cost-efficiency.

Available in white Corian® finishes as standard, these basins can also be supplied in a range of colours upon request. All vanity units can be specified with or without an optional upstand to suit both deck- and wall-mounted accessories.


Crescent Basin Vanities | With Upstands

Our Solid Surface Vanity Units have a standard depth of 600mm, with a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSC.10.600




One user | 600mm Length

CW.VSC.10.120




Two users | 1200mm Length

CW.VSC.10.180




Three users | 1800mm Length

CW.VSC.10.240



Four users | 2400mm Length

CW.VSC.10.300



Five users | 3000mm Length



[Learn more about our NBS models](#)

Crescent Basin Vanities | With Underpanels

The Crescent Basin is an under-mounted style, with the basin and vanity top formed from a single sheet of material to create a clean, all-in-one look. It offers a strong balance of style and cost-efficiency.

Available in Corian® Glacier White as standard, all vanity units can be specified with or without upstands to suit deck or wall-mounted accessories.



Crescent Basin Vanities | Without Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.

CW.VSC.01.600

A 3D line drawing of a single-user vanity unit. It features a rectangular basin with a curved front edge, mounted on a solid rectangular base. The unit is shown from a three-quarter perspective.

One user | 600mm Length

CW.VSC.01.120

A 3D line drawing of a two-user vanity unit. It consists of two identical single-user units joined side-by-side, sharing a common central support structure. The basin has two distinct rectangular openings.

Two users | 1200mm Length

CW.VSC.01.180

A 3D line drawing of a three-user vanity unit. It consists of three identical single-user units joined side-by-side. The basin has three distinct rectangular openings.

Three users | 1800mm Length

CW.VSC.01.240

A 3D line drawing of a four-user vanity unit. It consists of four identical single-user units joined side-by-side. The basin has four distinct rectangular openings.

Four users | 2400mm Length

CW.VSC.01.300

A 3D line drawing of a five-user vanity unit. It consists of five identical single-user units joined side-by-side. The basin has five distinct rectangular openings.

Five users | 3000mm Length



[Learn more about our NBS models](#)

Crescent Basin Vanities | With Underpanels

The Crescent Basin is an under-mounted style, with the basin and vanity top formed from a single sheet of material to create a clean, all-in-one look. It offers a strong balance of style and cost-efficiency.

Available in Corian® Glacier White as standard, all vanity units can be specified with or without upstands to suit deck or wall-mounted accessories.

Crescent Basin Vanities | With Upstands

Our Solid Surface Vanity Units have an overall height of 900mm, with a standard depth of 600mm, and a downstand height of 200mm.

To accommodate different user capacities across industrial washrooms, our Vanity lengths vary from 600mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, speak to our specification team.

CW.VSC.11.600




One user | 600mm Length

CW.VSC.11.120




Two users | 1200mm Length

CW.VSC.11.180




Three users | 1800mm Length

CW.VSC.11.240



Four users | 2400mm Length


CW.VSC.11.300



Five users | 3000mm Length



Learn more about
our NBS models



Solid Surface Vanities

Made from tough Corian®, our Solid Surface Vanities offer excellent performance in high-traffic environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Vanities are available in a variety of basin styles and finishes to match your design scheme.

What Is Corian®?

Corian® is a non-porous, solid surface material, ideal for high traffic areas where durability is paramount. Its unique composition allows for seamless joints and offers resistance to stains, bacteria, and moisture.



[See Corian® price groups here](#)




Solid Surface Range by Corian®



WE
Windswept Prima



TD
Witch Hazel



MW
Willow



VDT
Verdant



WXA
Weathered Aggregate



WX
Weathered Concrete




WJ
White Jasmine



WQ
White Onyx




4B
Sparkling White



SRS
Stonecrest Smoke



SQ
Stonique



NL
Vanilla



VW
Venaro White



SVL
Silver Linear



SX
Smoke Drift Prima



SPG
Sparkling Granita



SV
Silver Birch



VY
Silver Grey



TO
Sand Storm



LT
Sandalwood



MV
Savannah



SPL
Sepia Linear



SL
Silt



RC
Rain Cloud



CP
Rosemary

Solid Surface Vanities

Made from tough Corian®, our Solid Surface Vanities offer excellent performance in high-traffic environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Vanities are available in a variety of basin styles and finishes to match your design scheme.

What Is Corian®?

Corian® is a non-porous, solid surface material, ideal for high traffic areas where durability is paramount. Its unique composition allows for seamless joints and offers resistance to stains, bacteria, and moisture.




Solid Surface Range by Corian®



AH
Sagebrush




MS
Sahara



6V
Salt



PRW
Provence Nuwood



PG
Pearl Grey



PTZ
Peppered Terrazo



MP
Platinum



NP
Nimbus Prima



LN
Linen



MH
Matterhorn



NA
Natural Grey



NXA
Natural Aggregate



NX
Neutral Concrete



LI
Limestone Prima




LGN
Laguna



LZ
Laguna Terazzo



AA
Lava Rock



LH
Light Ash



GM
Grey Onyx




JC
Hazlenut




DH
Hot



KL
Juniper



GW
Glacier White



Explore the full
sample range
on our website


CGL Panel Material

Made from 19mm HPL, our Solid Surface Vanity Underpanels offer excellent performance in high-traffic industrial environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Vanities are available in a variety of basin styles and finishes to match your washroom scheme.

Compact Grade Laminate

Compact Grade Laminate (CGL) is made from multiple layers of kraft paper, impregnated with resin, then compressed under high pressure into a solid black core, ideal for washrooms with high-traffic and wet conditions.









CGL Key

- 1. Melamine Overlay
- 2. Décor Paper
- 3. Kraft Paper (Approx. 50 layers)

Vanity Underpanel Colour Range by Fundermax

Fundermax high pressure laminates used in our solid surface vanity underpanels feature a fine eggshell finish with a smooth, tactile feel that enhances both appearance and user experience.

				
0606 FH Arctic White	0085 FH White	0733 FH Hygienic White	0074 FH Pastel Grey	0762 FH Neutral Grey Medium
				
0077 FH Charcoal	0080 FH Black	0210 FH Intensive Red	2206 FH Fango	0761 FH Neutral Grey Dark
				
0755 FH Warm Grey Dark	0682 FH Orange	0010 FH Mango	0725 FH Yellowish Green	0893 FH Emerald Green
				
0718 FH Arctic	0630 FH Sea Green	0876 FH Frosted Teal	0591 FH Fir Green	0717 FH Atlantic

Laminates continued on other page

CGL Panel Material

Made from 19mm HPL, our Solid Surface Vanity Underpanels offer excellent performance in high-traffic industrial environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Vanities are available in a variety of basin styles and finishes to match your washroom scheme.

Vanity Underpanel Colour Range by Fundermax (Cont.)



0023 FH
Lamar



0237 FH
Gentian Blue



0842 FH
Blackberry Cupcake



0559 FH
Punto Pastel Grey



0260 FH
Arezzo Oak



0940 FH
Truffle Cottage Oak



0419 FH
Pinero Pine



4029 FH
Dark Eucalyptus



0607 FH
Loen Ash



0361 FH
Serenissima Ash



0551 FH
Whitney Chestnut



4059 FH
Lionga Elm



0026 FH
Prado Alu Grey



0027 FH
Prado Agate Grey



3426 FH
Scandio



0328 FH
Brushed Aluminum













CGL Panel Material

Made from 19mm HPL, our Solid Surface Vanity Underpanels offer excellent performance in high-traffic industrial environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Vanities are available in a variety of basin styles and finishes to match your washroom scheme.



Vanity Underpanel Colour Range by Polyrey

						
B206 Bleu Encre	V112 Vert Des Vosges	M149 Mauve Aquarelle	C190 Celadon	H035 Hacienda	G120 Gris Vision	Z022 Zeste Coco
						
C011 Caviar	G077 Galet	O149 Gris Paloma	R036 Rouge Cerise	V110 Verte Impérial	Z016 Zeste De Citron	M047 Mousse
						
N005 Noir	O111 Orgeat	P001 Pierre De Lune	P092 Pomme Verte	G031 Genêt	G075 Gris Cendré	G003 Gris Perle
						
G059 Gris Orage	G029 Gris Tourterelle	C189 Cyclamen	B001 Bleu Flash	B119 Bleu Turquoise	C018 Chardon	B048 Bleu Oslo
						
C049 Cactus	C062 Capucine	B070 Blanc Megève	B015 Blanc Menuires	B194 Bleu Bueé	B086 Blue Caraïbes	B116 Beige Nature

Laminates continued on other page

CGL Panel Material

Made from 19mm HPL, our Solid Surface Vanity Underpanels offer excellent performance in high-traffic industrial environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Vanities are available in a variety of basin styles and finishes to match your washroom scheme.

Vanity Underpanel Colour Range by Polyrey (Cont.)



T115
Travertin Vesta



B215
Béton Ciré Ombré



M003
Maryland Foncé



N023
Nova Saphir




M022
Marbe Veneto



B214
Béton Ciré Clair



C202
Chêne Zermatt



C179
Chêne Des Massifs



C212
Chêne Monceau



F086
Frêne de Liège



C149
Chêne Colorado



C180
Chêne Alba



N056
Noisetier Naturel



C183
Chêne D'Argent



T105
Teck Carbone



N026
Noyer Ombré



C102
Chêne Clair Horizontal



B101
Banian Noirci



B100
Banian Blanchi



Elevating everyday spaces.

We're here to help. Speak to our Specification team for project guidance, technical requirements, and expert insight on our products and how they fit into your next design.

Contact us

specifications@conceptwashroom.co.uk
0161 241 9066
conceptwashroom.co.uk



[View this product on our website](#)



[Learn more about our NBS models](#)