

Solid Surface Wash Troughs

Solid Surface has a smooth, premium look and a completely seamless finish, which is perfect for easy-clean, luxury washroom environments.




Features

Available in a wide range of finishes
Expertly crafted premium quality material
Ideally suited to high-traffic commercial washrooms

Speak to our team to
enquire about this range





Bring a touch of elegance to your office washroom project with our Solid Surface Wash Troughs.

Crafted from sleek Corian solid surface and available in a range of styles from classic to sloped, our wash troughs bring a high-end finish without compromising on practicality. Choose from a palette of colour-matched basin options or opt for timeless white.

Every piece is made to order, allowing you to tailor dimensions and layouts to suit large or smaller-scale shared facilities. Built to impress. Designed to perform.



[Learn more about our NBS models](#)



Features



Available in a wide range of curated colours




Made from durable Corian®



Available in 4 different styles



Easy to clean and maintain



Luxury and contemporary aesthetic for a wide range of washrooms



Suitable for high-traffic commercial washrooms



For more guidance on our cubicle dimensions,
speak to a member of our team.



Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.



Prism Trough | Without Underpanels



The Prism Wash Trough features a refined rectangular form with clean lines, complemented by a subtly contoured base designed to facilitate effective drainage towards the exposed waste outlet.

Combining contemporary styling with a timeless aesthetic, it provides a practical and cost-efficient solution for modern washroom environments.

Offering a sophisticated alternative to traditional vanity units, this wash trough is compatible with both wall-mounted and deck-mounted tap configurations, allowing for flexibility across a range of design requirements.



Learn more about our NBS models

Prism Wash Trough | Without Upstand

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

CW.WTP.00.120

Two users | 1200mm Length

CW.WTP.00.180

Three users | 1800mm Length

CW.WTP.00.240

Four users | 2400mm Length

CW.WTP.00.300

Five users | 3000mm Length

Standard Wash Trough Styles


Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Prism Trough | Without Underpanels



The Prism Wash Trough features a refined rectangular form with clean lines, complemented by a subtly contoured base designed to facilitate effective drainage towards the exposed waste outlet.

Combining contemporary styling with a timeless aesthetic, it provides a practical and cost-efficient solution for modern washroom environments.

Offering a sophisticated alternative to traditional vanity units, this wash trough is compatible with both wall-mounted and deck-mounted tap configurations, allowing for flexibility across a range of design requirements.



Learn more about our NBS models


Prism Wash Trough | With Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Arc Wall Wash Trough option on pages 18 & 19.

CW.WTP.10.120




Two users | 1200mm Length

CW.WTP.10.180




Three users | 1800mm Length

CW.WTP.10.240



Four users | 2400mm Length

CW.WTP.10.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.

Prism Trough | With Underpanels



The Prism Wash Trough features a refined rectangular form with clean lines, complemented by a subtly contoured base designed to facilitate effective drainage towards the exposed waste outlet.

Combining contemporary styling with a timeless aesthetic, it provides a practical and cost-efficient solution for modern washroom environments.

Offering a sophisticated alternative to traditional vanity units, this wash trough is compatible with both wall-mounted and deck-mounted tap configurations, allowing for flexibility across a range of design requirements.




Learn more about our NBS models

Prism Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.


To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

CW.WTP.01.120




Two users | 1200mm Length

CW.WTP.01.180




Three users | 1800mm Length

CW.WTP.01.240



Four users | 2400mm Length

CW.WTP.01.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.

Prism Trough | With Underpanels



The Prism Wash Trough features a refined rectangular form with clean lines, complemented by a subtly contoured base designed to facilitate effective drainage towards the exposed waste outlet.

Combining contemporary styling with a timeless aesthetic, it provides a practical and cost-efficient solution for modern washroom environments.

Offering a sophisticated alternative to traditional vanity units, this wash trough is compatible with both wall-mounted and deck-mounted tap configurations, allowing for flexibility across a range of design requirements.



Learn more about our NBS models


Prism Wash Trough | With Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Arc Wall Wash Trough option on pages 18 & 19.

CW.WTP.11.120




Two users | 1200mm Length

CW.WTP.11.180




Three users | 1800mm Length

CW.WTP.11.240



Four users | 2400mm Length

CW.WTP.11.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.



Crescent Trough | Without Underpanels



The Crescent Wash Trough features a defined square front rail that transitions into a gently sloping wash area.

Discreetly integrated drainage slots are rebated into the rear of the basin, allowing water to be efficiently channelled away to concealed waste outlets located beneath the unit.

This design ensures effective drainage while maintaining a clean, streamlined appearance, with all functional elements subtly integrated for a refined finish.




Learn more about our NBS models

Crescent Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.


To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

CW.WTC.00.120




Two users | 1200mm Length

CW.WTC.00.180




Three users | 1800mm Length

CW.WTC.00.240



Four users | 2400mm Length

CW.WTC.00.300



Five users | 3000mm Length

Standard Wash Trough Styles


Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Crescent Trough | Without Underpanels



The Crescent Wash Trough features a defined square front rail that transitions into a gently sloping wash area.

Discreetly integrated drainage slots are rebated into the rear of the basin, allowing water to be efficiently channelled away to concealed waste outlets located beneath the unit.

This design ensures effective drainage while maintaining a clean, streamlined appearance, with all functional elements subtly integrated for a refined finish.



Learn more about our NBS models


Crescent Wash Trough | With Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Arc Wall Wash Trough option on pages 18 & 19.

CW.WTC.10.120




Two users | 1200mm Length

CW.WTC.10.180




Three users | 1800mm Length

CW.WTC.10.240



Four users | 2400mm Length

CW.WTC.10.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.

Crescent Trough | With Underpanels



The Crescent Wash Trough features a defined square front rail that transitions into a gently sloping wash area.

Discreetly integrated drainage slots are rebated into the rear of the basin, allowing water to be efficiently channelled away to concealed waste outlets located beneath the unit.

This design ensures effective drainage while maintaining a clean, streamlined appearance, with all functional elements subtly integrated for a refined finish.




Learn more about our NBS models

Crescent Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.


To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

CW.WTC.01.120




Two users | 1200mm Length

CW.WTC.01.180




Three users | 1800mm Length

CW.WTC.01.240



Four users | 2400mm Length

CW.WTC.01.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.

Crescent Trough | With Underpanels



The Crescent Wash Trough features a defined square front rail that transitions into a gently sloping wash area.

Discreetly integrated drainage slots are rebated into the rear of the basin, allowing water to be efficiently channelled away to concealed waste outlets located beneath the unit.

This design ensures effective drainage while maintaining a clean, streamlined appearance, with all functional elements subtly integrated for a refined finish.



Learn more about our NBS models


Crescent Wash Trough | With Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Arc Wall Wash Trough option on pages 18 & 19.

CW.WTC.11.120




Two users | 1200mm Length

CW.WTC.11.180




Three users | 1800mm Length

CW.WTC.11.240



Four users | 2400mm Length

CW.WTC.11.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.



Arc Trough | Without Underpanels



The Arc Wash Trough is designed with a gently sloped washing surface that angles away from the front edge, guiding water efficiently towards a rear drainage channel.

Water flows smoothly over the surface and into the channel, which incorporates exposed waste outlets for ease of access and maintenance. This design creates a waterfall-like effect, enhancing the user experience while maintaining a clean and functional wash area.




Learn more about our NBS models

Arc Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.


To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

CW.WTA.00.120




Two users | 1200mm Length

CW.WTA.00.180




Three users | 1800mm Length

CW.WTA.00.240



Four users | 2400mm Length

CW.WTA.00.300



Five users | 3000mm Length

Standard Wash Trough Styles


Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Arc Trough | Without Underpanels



The Arc Wash Trough is designed with a gently sloped washing surface that angles away from the front edge, guiding water efficiently towards a rear drainage channel.

Water flows smoothly over the surface and into the channel, which incorporates exposed waste outlets for ease of access and maintenance. This design creates a waterfall-like effect, enhancing the user experience while maintaining a clean and functional wash area.


Arc Wash Trough | With Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Arc Wall Wash Trough option on pages 18 & 19.

CW.WTA.10.120




Two users | 1200mm Length

CW.WTA.10.180




Three users | 1800mm Length

CW.WTA.10.240



Four users | 2400mm Length

CW.WTA.10.300



Five users | 3000mm Length



Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.


Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.



Arc Trough | With Underpanels



The Arc Wash Trough is designed with a gently sloped washing surface that angles away from the front edge, guiding water efficiently towards a rear drainage channel.

Water flows smoothly over the surface and into the channel, which incorporates exposed waste outlets for ease of access and maintenance. This design creates a waterfall-like effect, enhancing the user experience while maintaining a clean and functional wash area.




Learn more about our NBS models

Arc Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.


To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

CW.WTA.01.120




Two users | 1200mm Length

CW.WTA.01.180




Three users | 1800mm Length

CW.WTA.01.240



Four users | 2400mm Length

CW.WTA.01.300



Five users | 3000mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, or without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.

Arc Trough | With Underpanels



The Arc Wash Trough is designed with a gently sloped washing surface that angles away from the front edge, guiding water efficiently towards a rear drainage channel.

Water flows smoothly over the surface and into the channel, which incorporates exposed waste outlets for ease of access and maintenance. This design creates a waterfall-like effect, enhancing the user experience while maintaining a clean and functional wash area.


Arc Wash Trough | With Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Arc Wall Wash Trough option on pages 18 & 19.

CW.WTA.11.120




Two users | 1200mm Length

CW.WTA.11.180




Three users | 1800mm Length

CW.WTA.11.240



Four users | 2400mm Length

CW.WTA.11.300



Five users | 3000mm Length



Learn more about our NBS models


Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

Arc Wall Trough | Without Underpanels



The Arc Wall Wash Trough is designed with a gently sloped washing surface that angles away from the front edge, directing water towards a rear drainage channel. Water flows smoothly over the surface into the channel, which incorporates exposed waste outlets for ease of access and maintenance.

The Wall refers to the integrated rear upstand, which rises from the drainage channel to form a continuous splashback.

Designed to accommodate wall-mounted tap configurations, this feature enhances both functionality and visual continuity.



Learn more about our NBS models


Arc Wall Wash Trough | Standard User Lengths

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.


Arc Wall Wash Troughs feature a taller upstand of 300mm, designed to accommodate wall mounted accessories.

CW.WTAW.00.120




Two users | 1200mm Length

CW.WTAW.00.180




Three users | 1800mm Length

CW.WTAW.00.240



Four users | 2400mm Length

CW.WTAW.00.300



Five users | 3000mm Length

Standard Wash Trough Styles


Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for commercial washrooms.

Available in four distinct styles, these vanities can be used in a wide range of commercial schemes, delivering a timeless and considered design throughout.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) finishes from EGGER offering excellent resistance to impact and daily use.

Arc Wall Trough | With Underpanels



The Arc Wall Wash Trough is designed with a gently sloped washing surface that angles away from the front edge, directing water towards a rear drainage channel. Water flows smoothly over the surface into the channel, which incorporates exposed waste outlets for ease of access and maintenance.

The Wall refers to the integrated rear upstand, which rises from the drainage channel to form a continuous splashback.

Designed to accommodate wall-mounted tap configurations, this feature enhances both functionality and visual continuity.



Learn more about our NBS models

Arc Wall Wash Trough | Standard User Lengths

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.

To accommodate different user capacities across mixed-use commercial washrooms, our Wash Trough lengths vary from 1200mm to 3000mm.

Arc Wall Wash Troughs feature a taller upstand of 300mm, designed to accommodate wall mounted accessories.

CW.WTAW.01.120

Two users | 1200mm Length

CW.WTAW.01.180


Three users | 1800mm Length

CW.WTAW.01.240

Four users | 2400mm Length

CW.WTAW.01.300

Five users | 3000mm Length



Solid Surface Wash Troughs

Made from tough Corian®, our Solid Surface Wash Troughs offer excellent performance in high-traffic environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Wash Troughs are available in a variety of basin styles and finishes to match your design scheme.

What Is Corian®?

Corian® is a non-porous, solid surface material, ideal for high traffic areas where durability is paramount. Its unique composition allows for seamless joints and offers resistance to stains, bacteria, and moisture.



[See Corian® price groups here](#)




Solid Surface Range by Corian®



WE
Windswept Prima



TD
Witch Hazel



MW
Willow



VDT
Verdant



WXA
Weathered Aggregate



WX
Weathered Concrete




WJ
White Jasmine



WQ
White Onyx




4B
Sparkling White



SRS
Stonecrest Smoke



SQ
Stonique



NL
Vanilla



VW
Venaro White



SVL
Silver Linear



SX
Smoke Drift Prima



SPG
Sparkling Granita



SV
Silver Birch



VY
Silver Grey



TO
Sand Storm



LT
Sandalwood



MV
Savannah



SPL
Sepia Linear



SL
Silt



RC
Rain Cloud



CP
Rosemary

Solid Surface Wash Troughs

Made from tough Corian®, our Solid Surface Wash Troughs offer excellent performance in high-traffic environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Wash Troughs are available in a variety of basin styles and finishes to match your design scheme.

What Is Corian®?

Corian® is a non-porous, solid surface material, ideal for high traffic areas where durability is paramount. Its unique composition allows for seamless joints and offers resistance to stains, bacteria, and moisture.



Solid Surface Range by Corian®



AH
Sagebrush



MS
Sahara



6V
Salt



PRW
Provence Nuwood



PG
Pearl Grey



PTZ
Peppered Terrazo



MP
Platinum



NP
Nimbus Prima



LN
Linen



MH
Matterhorn



NA
Natural Grey



NXA
Natural Aggregate



NX
Neutral Concrete



LI
Limestone Prima




LGN
Laguna



LZ
Laguna Terazzo



AA
Lava Rock



LH
Light Ash



GM
Grey Onyx




JC
Hazlenut




DH
Hot



KL
Juniper



GW
Glacier White



Explore the full
sample range
on our website

Wash Trough Underpanels


Solid Surface Wash Trough Under panels can be fabricated from 19mm High Pressure Laminate (HPL), depending on the project's durability and design needs.

HPL offers excellent performance in high-traffic commercial environments, with strong resistance to impact and daily use.

Designed with longevity and style in mind, our Wash Troughs combine robust construction with a refined aesthetic, making them a perfect choice for a wide range of commercial interiors.

What Is HPL?

High Pressure Laminate (HPL) is bonded onto a substrate, offering high surface resistance to scratches, abrasion, impact and humidity.



HPL Key

- 1. Melamine Overlay
- 2. Décor Paper
- 3. Kraft Paper Backing

Vanity Underpanel Colour Range by EGGER

W1000 ST9 Premium White	W1200 ST9 Porcelain White	U708 ST9 Light Grey	U115 ST9 Dust Grey	U732 ST9 Monument Grey
U780 ST9 Diamond Grey	U899 ST9 Soft Black	U216 ST9 Camè Beige	U115 ST9 Carat Beige	U750 ST9 Taupe Grey
U727 ST9 Stone Grey	U740 ST9 Dark Taupe	U638 ST9 Sage Green	U604 ST9 Reed Green	U636 ST9 Fjord Green
U665 ST9 Stone Green	U216 ST9 Denim Blue	U750 ST9 Misty Blue	U504 ST9 Tyrolean Blue	U565 ST9 Ocean Blue
U325 ST9 Antique Rose	U335 ST9 Rusty Red	U339 ST9 Garnet Red	U125 ST9 Sand Yellow	

Wash Trough Underpanels

Solid Surface Wash Trough Under panels can be fabricated from 19mm High Pressure Laminate (HPL), depending on the project's durability and design needs.

HPL offers excellent performance in high-traffic commercial environments, with strong resistance to impact and daily use.

Designed with longevity and style in mind, our Wash Troughs combine robust construction with a refined aesthetic, making them a perfect choice for a wide range of commercial interiors.

Vanity Underpanel Colour Range by EGGER

EGGER high pressure laminates used for our Solid Surface Wash Troughs feature a semi matt appearance with a smooth, tactile feel that enhances both appearance and user experience.



H1143 ST36
Grey Sacramento Oak



H3311 ST28
Bleached Cuneo Oak



H1384 ST40
White Casella Oak



H1369 ST40
Marone Casella Oak



H1367 ST40
Light Natural Casella Oak



H3710 ST12
Natural Carini Walnut



H3003 ST19
Norwich Oak



H2158 ST19
Grey Vincenza Oak



H1277 ST9
Light Lakeland Acacia



H3190 ST19
Anthracite Finline Metallic



H3195 ST19
White Finline



H1250 ST36
Navarra Ash



F422 ST10
White Linen



F424 ST10
Brown Linen



F433 ST10
Anthracite Linen



Explore the full sample range over on our website

Wash Trough Underpanels

Solid Surface Wash Trough Under panels can be fabricated from 19mm High Pressure Laminate (HPL), depending on the project's durability and design needs.

HPL offers excellent performance in high-traffic commercial environments, with strong resistance to impact and daily use.

Designed with longevity and style in mind, our Wash Troughs combine robust construction with a refined aesthetic, making them a perfect choice for a wide range of commercial interiors.

Vanity Underpanel Colour Range by Pfleiderer Super Matt



UI8004 XTSM
Dark Blue



UI8074 XTSM
Atlantic




UI8006 XTSM
Skagerrak



UI8501 XTSM
Fjord



UI9024 XTSM
Reed Green



UI2188 XTSM
Light Grey




UI9027 XTSM
Herb



UI9008 XTSM
Labrador



UI8043 XTSM
Poseidon




UI6068 XTSM
Hazel



UI21168 XTSM
Cashmere



UI2115 XTSM
Platinum Grey




UI2044 XTSM
Dolphin Grey



UI6001 XTSM
Sand Greige



UI2257 XTSM
Graphite



UI608 XTSM
Be Rooted!



UI2986 XTSM
Grey




UI2290 XTSM
Anthracite Grey




UI2233 XTSM
Metallic Black




UI2000 XTSM
Volcanic Black



UI1026 XTSM
Crystal White



UI1102 XTSM
Chalk



UI1027 XTSM
Icy White



UI8042 XTSM
Blue Shadow

Washroom Accessories By The Splash Lab

At Concept, we offer a curated range of accessories from The Splash Lab who are known for their minimalist design and high performance.

By specifying these products through us, our clients benefit from unrivalled product pricing, expert project support, and seamless compatibility with our cubicle and vanity systems.

Each piece has been carefully chosen for its aesthetic appeal, material quality, and performance to elevate everyday touchpoints such as taps, soap dispensers, hand dryers into architectural features.

The result is a cohesive, beautifully detailed washroom spaces that deliver both function and striking visual appeal.



Channel Soap Dispenser TSL.C04I



A minimalist, wall-mounted soap dispenser for foam soap, supplied with an sensor-operated soap foamer and reservoir.

Finish	Codes	LRV*
● Satin	TSL.C04I.CS	58
● Black	TSL.C04I.BK	3
● Brass	TSL.C04I.BR	40
● Copper	TSL.C04I.CP	19
● Bronze	TSL.C04I.BZ	17

Light Reflectance Value*

Channel Sensor Tap / 230mm TSL.C05I



a minimalist, wall-mounted sensor tap with BREEAM-compliant flow rates available in 5 PVD finishes to coordinate with our full range of products.

Finish	Codes	LRV*
● Satin	TSL.C05I.CS	58
● Black	TSL.C05I.BK	3
● Brass	TSL.C05I.BR	40
● Copper	TSL.C05I.CP	19
● Bronze	TSL.C05I.BZ	17

Light Reflectance Value*

Channel Hand Dryer TSL.C06I



With an acoustically insulated and powerful blower unit, the Channel Hand Dryer offers a quiet user experience with fast and efficient drying time

Finish	Codes	LRV*
● Satin	TSL.C06I.CS	58
● Black	TSL.C06I.BK	3
● Brass	TSL.C06I.BR	40
● Copper	TSL.C06I.CP	19
● Bronze	TSL.C06I.BZ	17

Light Reflectance Value*

Deck-Mounted Manual Tap TSL.950



A deck-mounted manual tap that features a sleek spout with an integrated lever operated mixer.

Finish	Codes	LRV*
● Satin	TSL.950.CS	58
● Black	TSL.950.BK	3
● Brass	TSL.950.BR	40
● Copper	TSL.950.CP	19
● Bronze	TSL.950.BZ	17

Light Reflectance Value*

The Ribbon Soap Dispenser TSL.R01I



Fully compatible with the The Splash Lab Soap Refill System, the automatic foaming nozzle reliably produces a precise dose of soap every time.

Finish	Codes	LRV*
● Satin	TSL.R01I.CS	58
● Black	TSL.R01I.BK	3
● Brass	TSL.R01I.BR	40
● Copper	TSL.R01I.CP	19
● Bronze	TSL.R01I.BZ	17

Light Reflectance Value*

The Ribbon Sensor Tap 2.0 TSL.R02I



Deck mounted sensor operated tap with robust body construction for all types of projects.

Finish	Codes	LRV*
● Satin	TSL.R02I.CS	58
● Black	TSL.R02I.BK	3
● Brass	TSL.R02I.BR	40
● Copper	TSL.R02I.CP	19
● Bronze	TSL.R02I.BZ	17

Light Reflectance Value*

The Ribbon Hand Dryer TSL.R03I



With an acoustically insulated and powerful blower unit, the Ribbon Hand Dryer offers a quiet user experience with fast and efficient drying times


Finish	Codes	LRV*
● Satin	TSL.R03I.CS	58
● Black	TSL.R03I.BK	3
● Brass	TSL.R03I.BR	40
● Copper	TSL.R03I.CP	19
● Bronze	TSL.R03I.BZ	17

Light Reflectance Value*

+45



View the full collection over on our website



Elevating everyday spaces.

We're here to help. Speak to our Specification team for project guidance, technical requirements, and expert insight on our products and how they fit into your next design.

Contact us

specifications@conceptwashroom.co.uk
0161 241 9066
conceptwashroom.co.uk



[View this product on our website](#)



[Learn more about our NBS models](#)