

Solid Surface Wash Troughs

Crafted from durable Corian® and hand-finished to the highest standard, our Solid Surface Wash Troughs are ideal for high-traffic industrial washrooms.



Features

Available in a wide range of finishes
Expertly crafted from CGL or HPL
Ideally suited to high-traffic washrooms

Speak to our team to
enquire about this range





Our Solid Surface Wash Troughs are tailor-made for industrial and transport facilities that need dependable, easy-to-clean solutions for high-traffic washrooms.

Made from premium Solid Surface and hand-finished to deliver a smooth, non-porous surface, these troughs offer outstanding durability, which is ideal for factories, warehouses, logistic centres and transport stations where uncomplicated design and long-lasting performance are essential.

The material's non-porous form prevents dirt and grime from sticking around, making it highly suitable for environments where staff regularly handle oils, tools and machinery. With compatibility for both wall-mounted and deck-mounted taps, these troughs can be configured to suit any facility layout.



[Learn more about our NBS models](#)

Features



Optional upstand to accomodate wall mounted taps



Easy to maintain and clean



Suitable for high-traffic environments



Fabricated from durable Corian®



Wall mounted and underpanel options available



Can accomodate up to 5 users at once



For more guidance on our cubicle dimensions,
speak to a member of our team.

Standard Wash Trough Styles


Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for industrial washrooms.

Available in two distinct styles, these troughs can be applied to a wide range of age groups, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, and without upstands.

Surf Trough | Without Underpanels



The Surf Wash Trough is manufactured from a single thermoformed piece of solid surface material, creating a smooth, seamless curved profile that is both hygienic and visually refined. A centrally positioned exposed waste outlet is incorporated for ease of access and maintenance.

Designed for open-plan school washrooms, the trough offers both practicality and modern appeal.

An increased deck width of 450mm allows for the installation of deck-mounted taps, providing additional flexibility in specification and design.




Learn more about our NBS models

Surf Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.


To accommodate different user capacities across mixed-use industrial washrooms, our Wash Trough lengths vary from 1200mm to 2400mm.

CW.WTS.00.120




Two users | 1200mm Length

CW.WTS.00.180



Three users | 1800mm Length

CW.WTS.00.240



Four users | 2400mm Length

Standard Wash Trough Styles


Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for industrial washrooms.

Available in two distinct styles, these troughs can be applied to a wide range of age groups, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, and without upstands.

Surf Trough | Without Underpanels



The Surf Wash Trough is manufactured from a single thermoformed piece of solid surface material, creating a smooth, seamless curved profile that is both hygienic and visually refined. A centrally positioned exposed waste outlet is incorporated for ease of access and maintenance.

Designed for open-plan school washrooms, the trough offers both practicality and modern appeal.

An increased deck width of 450mm allows for the installation of deck-mounted taps, providing additional flexibility in specification and design.



Learn more about our NBS models

Surf Wash Trough | With Upstands

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use industrial washrooms, our Wash Trough lengths vary from 1200mm to 2400mm.


Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Surf Wall Wash Trough option on pages 8 & 9.

CW.WTS.10.120




Two users | 1200mm Length

CW.WTS.10.180



Three users | 1800mm Length

CW.WTS.10.240



Four users | 2400mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for industrial washrooms.


Available in two distinct styles, these troughs can be applied to a wide range of age groups, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, and without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) or Compact Grade Laminate (CGL).

Choose from hundreds of finishes from Fundermax and Polyrey, all offering excellent resistance to impact and daily use.

Surf Trough | With Underpanels



The Surf Wash Trough is manufactured from a single thermoformed piece of solid surface material, creating a smooth, seamless curved profile that is both hygienic and visually refined. A centrally positioned exposed waste outlet is incorporated for ease of access and maintenance.

Designed for open-plan school washrooms, the trough offers both practicality and modern appeal.

An increased deck width of 450mm allows for the installation of deck-mounted taps, providing additional flexibility in specification and design.




Learn more about our NBS models

Surf Wash Trough | Without Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.


To accommodate different user capacities across mixed-use industrial washrooms, our Wash Trough lengths vary from 1200mm to 2400mm.

CW.WTS.01.120




Two users | 1200mm Length

CW.WTS.01.180



Three users | 1800mm Length

CW.WTS.01.240



Four users | 2400mm Length

Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for industrial washrooms.


Available in two distinct styles, these troughs can be applied to a wide range of age groups, delivering a timeless and considered design throughout.

All wash trough styles can be specified both with, and without upstands.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) or Compact Grade Laminate (CGL).

Choose from hundreds of finishes from Fundermax and Polyrey, all offering excellent resistance to impact and daily use.

Surf Trough | With Underpanels



The Surf Wash Trough is manufactured from a single thermoformed piece of solid surface material, creating a smooth, seamless curved profile that is both hygienic and visually refined. A centrally positioned exposed waste outlet is incorporated for ease of access and maintenance.

Designed for open-plan school washrooms, the trough offers both practicality and modern appeal.

An increased deck width of 450mm allows for the installation of deck-mounted taps, providing additional flexibility in specification and design.



Learn more about our NBS models


Surf Wash Trough | With Upstands

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.

To accommodate different user capacities across mixed-use industrial washrooms, our Wash Trough lengths vary from 1200mm to 2400mm.

Upstands can be specified to a standard height of 100mm. If you require a taller upstand for your project, see our Surf Wall Wash Trough option on pages 8 & 9.

CW.WTS.11.120




Two users | 1200mm Length

CW.WTS.11.180



Three users | 1800mm Length

CW.WTS.11.240



Four users | 2400mm Length


Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.

Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for industrial washrooms.

Available in two distinct styles, these troughs can be applied to a wide range of age groups, delivering a timeless and considered design throughout.

Surf Wall Trough | Without Underpanels



The Surf Wall Wash Trough is manufactured from a single thermoformed piece of solid surface material, creating a smooth, seamless curved profile that promotes both hygiene and durability.

A centrally positioned exposed waste outlet is incorporated to allow for straightforward access and maintenance.

Suitable for contemporary, open-plan school washrooms, the trough offers a practical and efficient solution without compromising on design quality.


Surf Wall Wash Trough | Standard User Lengths

Our Solid Surface Wash Troughs have a standard depth of 450mm, with a downstand height of 200mm.

To accommodate different user capacities across mixed-use industrial washrooms, our Wash Trough lengths vary from 1200mm to 2400mm.


Surf Wall Wash Troughs feature a taller upstand of 300mm, designed to accommodate wall mounted accessories.

CW.WTSW.00.120




Two users | 1200mm Length

CW.WTSW.00.180



Three users | 1800mm Length

CW.WTSW.00.240



Four users | 2400mm Length



Standard Wash Trough Styles

Solid Surface Wash Troughs are a versatile basin solution, manufactured from durable Corian® for long-term performance.


Designed with longevity in mind, they are built to withstand constant daily use in high-traffic environments, making them ideal for industrial washrooms.

Available in two distinct styles, these troughs can be applied to a wide range of age groups, delivering a timeless and considered design throughout.

Wash Trough Underpanels can be specified in a wide range of High Pressure Laminate (HPL) or Compact Grade Laminate (CGL).

Choose from hundreds of finishes from Fundermax and Polyrey, all offering excellent resistance to impact and daily use.

Surf Wall Trough | With Underpanels



The Surf Wall Wash Trough is manufactured from a single thermoformed piece of solid surface material, creating a smooth, seamless curved profile that promotes both hygiene and durability.

A centrally positioned exposed waste outlet is incorporated to allow for straightforward access and maintenance.

Suitable for contemporary, open-plan school washrooms, the trough offers a practical and efficient solution without compromising on design quality.



Learn more about our NBS models


Surf Wall Wash Trough | Standard User Lengths

Our Solid Surface Wash Troughs have an overall height of 900mm, with a standard depths of 450mm, and a downstand height of 200mm.

To accommodate different user capacities across mixed-use industrial washrooms, our Wash Trough lengths vary from 1200mm to 2400mm.


Surf Wall Wash Troughs feature a taller upstand of 300mm, designed to accommodate wall mounted accessories.

CW.WTSW.01.120




Two users | 1200mm Length

CW.WTSW.01.180



Three users | 1800mm Length

CW.WTSW.01.240



Four users | 2400mm Length



Solid Surface Wash Troughs at Bunzle - Manchester



©Concept Washroom

Solid Surface Wash Troughs

Made from tough Corian®, our Solid Surface Wash troughs offer excellent performance in high-traffic environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Wash Troughs are available in a variety of basin styles and finishes to match your design scheme.

What Is Corian®?

Corian® is a non-porous, solid surface material, ideal for high traffic areas where durability is paramount. Its unique composition allows for seamless joints and offers resistance to stains, bacteria, and moisture.



[See Corian® price groups here](#)




Solid Surface Range by Corian®



WE
Windswept Prima



TD
Witch Hazel



MW
Willow



VDT
Verdant



WXA
Weathered Aggregate



WX
Weathered Concrete




WJ
White Jasmine



WQ
White Onyx




4B
Sparkling White



SRS
Stonecrest Smoke



SQ
Stonique



NL
Vanilla



VW
Venaro White



SVL
Silver Linear



SX
Smoke Drift Prima



SPG
Sparkling Granita



SV
Silver Birch



VY
Silver Grey



TO
Sand Storm



LT
Sandalwood



MV
Savannah



SPL
Sepia Linear



SL
Silt



RC
Rain Cloud



CP
Rosemary

Solid Surface Wash Troughs

Made from tough Corian®, our Solid Surface Wash troughs offer excellent performance in high-traffic environments, with strong resistance to impact and persistent daily use.

Designed with longevity and style in mind, our Solid Surface Wash Troughs are available in a variety of basin styles and finishes to match your design scheme.

What Is Corian®?

Corian® is a non-porous, solid surface material, ideal for high traffic areas where durability is paramount. Its unique composition allows for seamless joints and offers resistance to stains, bacteria, and moisture.



Solid Surface Range by Corian®



AH
Sagebrush



MS
Sahara



6V
Salt



PRW
Provence Nuwood



PG
Pearl Grey



PTZ
Peppered Terrazo



MP
Platinum



NP
Nimbus Prima



LN
Linen



MH
Matterhorn



NA
Natural Grey



NXA
Natural Aggregate




NX
Neutral Concrete



LI
Limestone Prima




LGN
Laguna



LZ
Laguna Terazzo



AA
Lava Rock



LH
Light Ash



GM
Grey Onyx




JC
Hazlenut




DH
Hot



KL
Juniper



GW
Glacier White



Explore the full sample range on our website

Panel Material

Solid Surface Wash Trough
Underpanels can be fabricated from 19mm High-Pressure Laminate (HPL) or 12mm Compact Grade Laminate (CGL), depending on the project's durability and design needs.

Both laminate materials offer excellent performance in high-traffic environments, with strong resistance to impact, moisture, and persistent daily use.


Designed with longevity and style in mind, our Wash Troughs are ideal for high-traffic washrooms in industrial environments.

High Pressure Laminate

High Pressure Laminate (HPL) is bonded onto a substrate, offering high surface resistance to scratches, abrasion, impact and humidity.

HPL Key

- 1. Melamine Overlay
- 2. Décor Paper
- 3. Kraft Paper (Approx. 50 layers)




Compact Grade Laminate

Compact Grade Laminate (CGL) is made from multiple layers of kraft paper, impregnated with resin, then compressed under high pressure into a solid black core, ideal for washrooms with high-traffic and wet conditions.

CGL Key

- 1. Melamine Overlay
- 2. Décor Paper
- 3. Kraft Paper (Approx. 50 layers)



Solid Surface Wash Troughs








Solid Surface Wash Trough Underpanels can be fabricated from 19mm High-Pressure Laminate (HPL) or 12mm Compact Grade Laminate (CGL), depending on the project's durability and design needs.

Both laminate materials offer excellent performance in high-traffic environments, with strong resistance to impact, moisture, and persistent daily use.

Designed with longevity and style in mind, our Wash Troughs are ideal for high-traffic washrooms in industrial environments.

Wash Trough Underpanel Colour Range by Fundermax

Fundermax compact grade laminates used ifor our solid surface wash troughs feature a fine eggshell finish with a smooth, tactile feel that enhances both appearance and user experience.

					
0606 FH Arctic White	0085 FH White	0733 FH Hygienic White	0074 FH Pastel Grey	0762 FH Neutral Grey Medium	0077 FH Charcoal
					
2206 FH Fango	0761 FH Neutral Grey Dark	0755 FH Warm Grey Dark	0682 FH Orange	0010 FH Mango	0725 FH Yellowish Green
					
0630 FH Sea Green	0876 FH Frosted Teal	0591 FH Fir Green	0717 FH Atlantic	0023 FH Lamar	0237 FH Gentian Blue
					
0080 FH Black	0210 FH Intensive Red	0893 FH Emerald Green	0718 FH Arctic	0842 FH Blackberry Cupcake	0559 FH Punto Pastel Grey

Solid Surface Wash Troughs

Solid Surface Wash Trough Underpanels can be fabricated from 19mm High-Pressure Laminate (HPL) or 12mm Compact Grade Laminate (CGL), depending on the project's durability and design needs.

Both laminate materials offer excellent performance in high-traffic environments, with strong resistance to impact, moisture, and persistent daily use.

Designed with longevity and style in mind, our Wash Troughs are ideal for high-traffic washrooms in industrial environments.

Wash Trough Underpanel Colour Range by Fundermax (Cont.)



0260 FH
Arezzo Oak



0940 FH
Truffle Cottage Oak



0419 FH
Pinero Pine



4029 FH
Dark Eucalyptus



0607 FH
Loen Ash



0361 FH
Serenissima Ash



0551 FH
Whitney Chestnut



4059 FH
Lionga Elm



0026 FH
Prado Alu Grey



0027 FH
Prado Agate Grey



3426 FH
Scandio



0328 FH
Brushed Aluminum



















Solid Surface Wash Troughs

Solid Surface Wash Trough Underpanels can be fabricated from 19mm High-Pressure Laminate (HPL) or 12mm Compact Grade Laminate (CGL), depending on the project's durability and design needs.

Both laminate materials offer excellent performance in high-traffic environments, with strong resistance to impact, moisture, and persistent daily use.

Designed with longevity and style in mind, our Wash Troughs are ideal for high-traffic washrooms in industrial environments.

Wash Trough Underpanel Colour Range by Polyrey

						
B206 Bleu Encre	V112 Vert Des Vosges	M149 Mauve Aquarelle	C190 Celadon	H035 Hacienda	G120 Gris Vision	Z022 Zeste Coco
						
C011 Caviar	G077 Galet	O149 Gris Paloma	R036 Rouge Cerise	V110 Verte Impérial	Z016 Zeste De Citron	M047 Mousse
						
N005 Noir	O111 Orgeat	P001 Pierre De Lune	P092 Pomme Verte	G031 Genêt	G075 Gris Cendré	G003 Gris Perle
						
G059 Gris Orage	G029 Gris Tourterelle	C189 Cyclamen	B001 Bleu Flash	B119 Bleu Turquoise	C018 Chardon	B048 Bleu Oslo
						
C049 Cactus	C062 Capucine	B070 Blanc Megève	B015 Blanc Menuires	B194 Bleu Bueé	B086 Blue Caraïbes	B116 Beige Nature

Solid Surface Wash Troughs

Solid Surface Wash Trough Underpanels can be fabricated from 19mm High-Pressure Laminate (HPL) or 12mm Compact Grade Laminate (CGL), depending on the project's durability and design needs.

Both laminate materials offer excellent performance in high-traffic environments, with strong resistance to impact, moisture, and persistent daily use.

Designed with longevity and style in mind, our Wash Troughs are ideal for high-traffic washrooms in industrial environments.

Wash Trough Underpanel Colour Range by Polyrey (Cont.)



T115
Travertin Vesta



B215
Béton Ciré Ombré



M003
Maryland Foncé



N023
Nova Saphir



M022
Marbe Veneto



B214
Béton Ciré Clair



C202
Chêne Zermatt



C179
Chêne Des Massifs



C212
Chêne Monceau



F086
Frêne de Liège



C149
Chêne Colorado




C180
Chêne Alba



N056
Noisetier Naturel



C183
Chêne D'Argent



T105
Teck Carbone



N026
Noyer Ombré



C102
Chêne Clair Horizontal



B101
Banian Noirci



B100
Banian Blanchi





Elevating everyday spaces.

We're here to help. Speak to our Specification team for project guidance, technical requirements, and expert insight on our products and how they fit into your next design.

Contact us

specifications@conceptwashroom.co.uk
0161 241 9066
conceptwashroom.co.uk



[View this product on our website](#)



[Learn more about our NBS models](#)

